

The prevention network „Dunkelfeld“: work in progress

Dipl.-Psych. Petya Schuhmann

Department of Forensic Psychiatry and Psychotherapy
University of Regensburg

November, 26th 2014, Antwerpen

Overview

I. Background

- Pedophilia – Hebephilia – Child sexual abuse
- Confidentiality
- Aims
- Target group

II. Media campaign

III. Project design


IV. Therapy

V. Results

Background	Media Campaign	Project design	Therapy	Results
-------------------	-----------------------	-----------------------	----------------	----------------

Sexual Preference Disorder
(Pedophilia/Hebephilia)

Sexual behavioral disorder
(child sexual abuse)




Sexual Preference Disorder

(Pedophilia/Hebephilia)

Sexual behavioral disorder

(consuming Child abusive images)




- German Criminal Code: no mandatory reporting law for CSA / CP offenses
 - Lowers threshold for seeking professional help & therapy as no legal consequences must be feared
 - Protects participants within the project regarding their sexual experiences, fantasies and (past) behaviors involving minors
 - Reduces tendencies of minimization and denial regarding sexual offense history
 - Increases treatment opportunities

Aims

- Closing gap of treatment offers
- Closing gap of knowledge (accompanying research)
- (Primary) Prevention of Child Sexual Abuse (CSA)
- Prevention of Child Pornography (CP) offenses

Target groups



How can we reach our target groups?

How can we sensitize the public for the problem?

- Pro-active public relation: journalists, political decision makers etc.
- Billboards, Spots, Flyer:
- Homepage: www.kein-taeter-werden.de
www.dont-offend.org



Do you love children more than you should?



Do not offend. Not even online.





don't offend.

there is help -
free of charge
and confidential

Do you like children in ways you shouldn't?

According to scientific research, at least one percent of all men have sexual fantasies directed towards children. This means, they have a partial or exclusive sexual preference in terms of pedophilia or hebephilia. Causes for these sexual preference disorders are generally unknown. It is a fact, however, that it concerns many people in the community – the vast majority being men - who have substantial difficulties living with their sexual preference. Insecurities and fears arise when noticing this inclination for the first time.

The Prevention Project Dunkelfeld (PPD) provides confidential treatment* free of charge for individuals who have a partial or exclusive sexual preference in terms of pedophilia or hebephilia and seek therapeutic help.

The main navigation on this page leads to general information concerning the Prevention Project Dunkelfeld (PPD), results, news updates and press releases. Further regional or otherwise specified information about outpatient facilities is to be found at the bottom of the page or on the right hand side on the map of Germany. You are welcome to contact us directly by using our contact button above in the header.



New Spot of the Prevention Network: "Don't Offend"




Google Adwords:

Guide potential users of child abusive images to the therapeutic offer of the PPD by using typical search keywords.

By entering specific keywords the user get presented one of the ads mentioned down

Preteen porn
Child pussy
Kids porn
Sex with children
Preteen rape



Attracted by child porn
Your wish is no abuse, but
consuming is abuse.
www.dont-offend.org


Prevent child abuse
Do you have sexual
fanasies towards children?
Don`t offend!
www.dont-offend.org

More than 300.000 Ad Impressions and more than 6.500 clicks in one month

The spots

See VCL media file

Procedure: Confidentiality & anonymity guaranteed



Background	Media Campaign	Project design	Therapy	Results
-------------------	-----------------------	-----------------------	----------------	----------------

Intake Assessment

Self-reported data on:

- Sexual Age and Gender Preference
- Criminal History
- Socio-demographics & mental disorders
- Dynamic Risk Factors (DRF)

Intake criteria	Exclusion criteria
Pedophilia (302.2) and/or Hebephila (302.9, Paraphilia NOS)	A psychotic condition and/or a drug or alcohol abuse problem that is not stabilized
At least 18 years of age & sufficient German language skills	Organic brain dysfunction
	Currently detected CSA and/or CP offenses

Background	Media campaign	Project design	Therapy	Results
-------------------	-----------------------	-----------------------	----------------	----------------

Medical treatment if indicated



Psychoedukation


Group therapy /
Single therapy

Aftercare


Couple Councelling



Treatment Targets: BEDIT



Development of self-regulation skills and Control of Conduct by addressing DRFs



Background	Media campaign	Project design	Therapy	Results
-------------------	-----------------------	-----------------------	----------------	----------------

Psychoeducation / Motivation	Emotions	Perceptions
Motivation	Empathy & Perspective Taking	Biography & Schemata
Sexual Fantasies & Behaviors	Social Relationships	Intimacy & Trust
Coping & Problem Solving	Planning the Future	Protective Measures

Prevention Network Dunkelfeld (PPD)




kein
täter
werden.
Kostenlose Therapie
unter Schweigepflicht




kein täter
werden
PRÄVENTIONSNETZWERK

Background	Media campaign	Project design	Therapy	Results
------------	----------------	----------------	---------	---------

Project status September 2014: Contacts




Project status September 2014: Clinical diagnostic completed



Background	Media campaign	Project design	Therapy	Results
-------------------	-----------------------	-----------------------	----------------	----------------

Project status: Therapy offer submitted




Background	Media campaign	Project design	Therapy	Results
-------------------	-----------------------	-----------------------	----------------	----------------

Project status September 2014: Therapy

Therapy started	407
Therapy completed	169
Currently in therapy	139
<i>Therapy interrupted</i>	84

PPD first results: Improvement on self-report measures of dynamic risk factors in treated project participants



Changes on DRF within TG are stable at one-year follow up

Thank you for your attention

petya.schuhmann@medbo.de

26.11.2014, Antwerpen